

Accessories



RAMSET Magnetic Lock
Secures the gate(s) closed.



RAMSET ILD-24S Loop Detector
A safety device that stops the gate from closing on a vehicle.



V Groove Wheels
Solid steel and UHMW wheels available.



RAMSET Fire Box
Allows the fire department to open your gate in the case of an emergency.



RAMSET BBS-Battery Back-Up System
Opens your gate when power is lost.



Post Mounts
1/4" angle iron flats.
3/16" square tubing legs.
Used to mount the operator off the ground.




Key Switch Box
Suitable for use on entry doors where access is restricted by a key.



Guide Rollers
Heavy duty UHMW rollers available in various lengths.



Adjustable Guide Roller
Heavy duty UHMW rollers adjust to fit any gate.



RPI (Ramset Power Inverter)
Maintains power to your operator and accessories when the main power is lost. Used on 1/2 hp operators only.



Keypad
1,024 codes.
5,112 event log.
LCD display.
7-day timer.
Time Zones.
Latching Stainless Steel Faceplate.



Goose Necks
Square - 16 ga.
Available in 48" padmount or 66" in-ground. Used for mounting keypads, phone entry systems, card readers...etc.

10-Year Warranty Residential	7-Year Warranty Commercial
-------------------------------------	-----------------------------------

DISTRIBUTED BY:




Opening the way...

-  Easy Installation
-  Heavy Duty
-  Reliable
-  Low Maintenance



RAM 100
Residential
Commercial



RAM 1000
Commercial
Industrial



RAM 5500
Commercial
Industrial

Designed to satisfy the need for gate operators in high traffic areas, such as residential gated communities, public storages, industrial parks and government facilities.

SPECIFICATIONS:

MAXIMUM GATE SIZE & WEIGHT: 20' @ 700 lbs.
GATE TRAVELING SPEED: Approx. 1' per sec.
CYCLES: continuous. SHIPPING WEIGHT: 110 lbs.
OPERATING TEMPERATURE: -10° F to 160° F

RAM 100

Residential / Commercial



Foot Pedal Release

Emergency Release:
This mechanism disengages the gate from the operator to allow easy manual opening and closing of the gate during power outages and emergencies.

Electric Motor:
1/2 hp 120 VAC 4.5 amp
50 - 60Hz with high speed ball bearings and resettable overload button.

Heavy Duty Worm Gear:
Lubricated in an oil bath for smooth and quiet operation.

Limit Switches:
Mechanical adjustment for accurate gate stop settings.

Cover:
High-impact resistant charcoal gray polyethylene.

Cover Dimensions:
H: 22" L: 14 1/2" W: 15"

Finish:
Gold/Zinc plated to inhibit corrosion.

SPECIFICATIONS:

MAXIMUM GATE SIZE & WEIGHT: 45' @ 1500 lbs.
GATE TRAVELING SPEED: Approx. 1' per sec.
CYCLES: Continuous. SHIPPING WEIGHT: 125 lbs.
OPERATING TEMPERATURE: -10° F to 160° F

RAM 5500

Commercial / Industrial



Foot Pedal Release

Emergency Release:
This mechanism disengages the gate from the operator to allow easy manual opening and closing of the gate during power outages and emergencies.

Electric Motor:
3/4 hp 120 VAC 8.5 amp.
50 - 60Hz with high speed ball bearings and resettable overload button.

Heavy Duty Worm Gear:
Lubricated in an oil bath for smooth and quiet operation.

Limit Switches:
Mechanical adjustment for accurate gate stop settings.

Cover:
High-impact resistant charcoal gray polyethylene.

Cover Dimensions:
H: 27" L: 16" W: 16 1/2"

Finish:
Gold/Zinc plated to inhibit corrosion.

SPECIFICATIONS:

MAXIMUM GATE SIZE & WEIGHT: 35' @ 1000 lbs.
GATE TRAVELING SPEED: Approx. 1' per sec.
CYCLES: Continuous. SHIPPING WEIGHT: 125 lbs.
OPERATING TEMPERATURE: -10° F to 160° F

RAM 1000

Commercial / Industrial



Foot Pedal Release

Emergency Release:
This mechanism disengages the gate from the operator to allow easy manual opening and closing of the gate during power outages and emergencies.

Electric Motor:
1/2 hp 120 VAC 4.5 amp.
50 - 60Hz with high speed ball bearings and resettable overload button.

Heavy Duty Worm Gear:
Lubricated in an oil bath for smooth and quiet operation.

Limit Switches:
Mechanical adjustment for accurate gate stop settings.

Cover:
High-impact resistant charcoal gray polyethylene.

Cover Dimensions:
H: 26" L: 16" W: 16 1/2"

Finish:
Gold/Zinc plated to inhibit corrosion.

RAMSET "Intelligate" Control Board



The Intelligate control board is the most advanced gate controller in the industry, putting Ramset ahead of the competition when it comes to reliability and number of features. It is controlled by a programmable microprocessor that reads and precisely executes all functions of the control board. Some of the features of the control board include:

- * Automatic close timer
- * Pre warning alarm relays
- * Constant warning alarm relays
- * Self adjusting ERD
- * Dual gate communication capability
- * Secure close
- * Anti-tailgating/One pass system
- * Radio cycle (open, stop & close)
- * Open & close delays
- * Indicator lights for easy troubleshooting
- * Plug in loop detectors
- * Left/Right installation switch